

What is claimed is:

1. A communication terminal apparatus comprising:
 - a display device that provides display for receiving
 - 5 a musical tone data distributing service from a server apparatus;
 - a musical tone data receiving device that receives desired musical tone data via a network by means of the display provided by said display device;
 - 10 a musical tone generating device that generates a musical tone according to the musical tone data received by said musical tone data receiving device;
 - a program receiving device that receives a predetermined program executable by the communication
 - 15 terminal apparatus from the server apparatus via the network;
 - a display data receiving device that receives display data for forming the display on said display device from the server apparatus via the network;
 - 20 a storage device that stores the predetermined program received by said program receiving device and the display data received by said display data receiving device; and
 - a program executing device that executes the
 - 25 predetermined program stored in said storage device;
 - wherein at least a part of the display provided by said display device is carried out based on the display data stored in advance in said storage device, according to the predetermined program executed by said program
 - 30 executing device.
2. A communication terminal apparatus according to claim 1, wherein the display data includes first display data received and stored together with the predetermined program and used for forming the at least part of the
- 35 display during execution of the predetermined program.

3. A communication terminal apparatus according to claim 1, wherein the display data includes second display data representing a list of occasionally updated musical tone data and received from the server apparatus via the network during execution of the predetermined program.

4. A communication terminal apparatus comprising:
a display device that displays a keyword input type search screen when receiving a musical tone data distributing service from a server apparatus;
10 a musical tone data receiving device that retrieves desired musical tone data using the search screen displayed by said display device and receives the retrieved desired musical tone data from the server apparatus via the network;
15 a musical tone generating device that generates a musical tone according to the musical tone data received by said musical tone data receiving device;
a display data receiving device that receives display data for displaying the search screen from the server apparatus via the network; and
20 a display data storage device that stores the display data received by said display data receiving device;
wherein the search screen is displayed based on the display data stored in said display data storage device.

5. A communication terminal apparatus according to claim 4, further comprising:
a program receiving device that receives a java program for cellular phones from the server apparatus via the network;
30 a program storage device that stores the java program received by said program receiving device;
a program executing device that executes the java program stored in said program storage device; and
35 wherein the search screen is displayed on said

display device based on the java program executed by said program executing device according to the display data stored in said display data storage device.

6. A server apparatus for providing a communication
5 terminal device with a musical tone data distributing service, comprising:

a program transmitting device that transmits a predetermined program executable by the communication terminal
10 apparatus via the network;

a display data transmitting device that transmits display data for providing the communication terminal device with the musical tone data distributing service to the communication terminal apparatus via the network; and
15

a musical tone data transmitting device that transmits the musical tone data to the communication terminal apparatus via the network in accordance with a request from the communication terminal apparatus using display based on the display data;
20

wherein the communication terminal apparatus receives the predetermined program and the display data via the network and stores the received predetermined program and display data in advance, and is cable of executing the stored predetermined program to display the
25 stored display data.

7. A server apparatus for providing a communication terminal apparatus with a musical tone data distributing service, comprising:

a display data transmitting device that transmits
30 display data for displaying a keyword input type search screen in providing the musical tone data distributing service to the communication terminal apparatus via a network; and

a musical tone data transmitting device that
35 transmits the musical tone data to the communication

terminal apparatus via the network in accordance with a request from the communication terminal apparatus using the search screen;

wherein the communication terminal apparatus
 5 receives the display data via the network and stores the received display data in advance, and is capable of displaying the search screen based on the stored display data.

8. A server apparatus according to claim 7, further
 10 comprising

a program transmitting device that transmits a java program for cellular phones to the communication terminal apparatus via the network; and

wherein the communication terminal apparatus
 15 displays the search screen by receiving and storing the java program transmitted from the program transmitting device and executing the stored java program.

9. A method of controlling a communication terminal apparatus, comprising:

20 a display step of displaying on a display device a display screen for receiving a musical tone data distributing service from a server apparatus;

a musical tone data receiving step of receiving desired musical tone data via a network using the display
 25 screen displayed in said display step;

a musical tone generating step of generating a musical tone according to the musical tone data received in said musical tone data receiving step;

a program receiving step of receiving a
 30 predetermined program executable by the communication terminal apparatus from the server apparatus via the network;

a display data receiving step of receiving display data for forming the display screen from the server
 35 apparatus via the network;

a storing step of storing in a memory the predetermined program received in said program receiving step and the display data received in said display data receiving step; and

- 5 a program executing step of executing the predetermined program stored in said storing step;
 wherein at least a part of display of the display screen in said display step is carried out based on the display data stored in advance in said storing step,
 10 according to the predetermined program executed in said program executing step.

10. A method of controlling a communication terminal apparatus, comprising:

- a display step of displaying a keyword input type
 15 search screen when receiving a musical tone data distributing service from a server apparatus;
 a musical tone data receiving step of retrieving desired musical tone data using the search screen displayed in said display step and receives the retrieved
 20 desired musical tone data from the server apparatus via a network;

a musical tone generating step of generating a musical tone according to the musical tone data received in said musical tone data receiving step;

- 25 a display data receiving step of receiving display data for displaying the search screen from the server apparatus via the network; and

a display data storing step of storing in a memory the display data received in said display data receiving
 30 step;

wherein the display of the search screen in said display step is carried out based on the display data stored in said display data storing step.

11. A method of controlling a server apparatus
 35 which provides a communication terminal device with a

musical tone data distributing service, the method comprising:

5 a program transmitting step of transmitting a predetermined program executable by the communication terminal apparatus to the communication terminal apparatus via a network;

10 a display data transmitting step of transmitting display data for providing the communication terminal device with the musical tone data distributing service to the communication terminal apparatus via the network; and

15 a musical tone data transmitting step of transmitting the musical tone data to the communication terminal apparatus via the network in accordance with a request from the communication terminal apparatus using display based on the display data;

20 wherein the communication terminal apparatus receives the predetermined program and the display data via the network and stores the received predetermined program and display data in advance, and is capable of executing the stored predetermined program to display the stored display data.

25 12. A storage medium readable by a computer, which stores a program for causing the computer to execute a method of controlling a communication terminal apparatus, the program comprising:

a display module for displaying on a display device a display screen for receiving a musical tone data distributing service from a server apparatus;

30 a musical tone data receiving module for receiving desired musical tone data via a network using the display screen displayed by said display module;

a musical tone generating module for generating a musical tone according to the musical tone data received by said musical tone data receiving module;

35 a program receiving module for receiving a

predetermined program executable by the communication terminal apparatus from the server apparatus via the network;

5 a display data receiving module for receiving display data for forming the display screen from the server apparatus via the network;

a storing module for storing the predetermined program received by said program receiving module and the display data received by said display data receiving
10 module; and

a program executing module for executing the predetermined program stored by said storing module;

wherein at least a part of display of the display screen by said display module is carried out based on the
15 display data, stored in advance by said storing module, according to the predetermined program executed by said program executing module.

13. A communication terminal apparatus which receives a musical tone data distributing service by
20 executing a predetermined program, comprising:

a connecting device that is capable of connecting to a server apparatus that provides the musical tone data distributing service;

25 a display device that provides display for receiving the musical tone data distributing service;

a storage device that stores the predetermined program and display data for forming the display of said display device; and

30 a musical tone generating device that generates a musical tone based on the musical tone data;

wherein the predetermined program forms a display screen for receiving the musical tone data distributing service according to the display data stored in advance in said storage device, and displays the formed display
35 screen on said display device.

14. A communication terminal apparatus according to claim 13, wherein the predetermined program and the display data are received from the server apparatus by said connecting device via the network and are stored in advance in said storage device, before receiving the musical tone data distributing service.

15. A communication terminal apparatus according to claim 13, wherein the display data includes first display data stored in advance together with the predetermined program and used for the predetermined program to form the displays screen for receiving the musical tone data distributing service, and second display data representing a list of occasionally updated musical tone data and received from the server apparatus by said connecting device during execution of the predetermined program.